

# SPECIFICATIONS

## EC-MSR608

Mobile Stool Table – Round

**Mobile Stool Tables shall have the following construction standard features and benefits.**

**MODEL #**  
**EC-MSR608**  
(NO ALTERNATES, NO SUBSTITUTIONS)

**DIMENSIONS**

- **WIDTH:** 60"
- **No. of STOOLS:** 8
- **TABLE HEIGHT:** 29" OR 27" OR 25"
- **STOOL HEIGHT:** 17" OR 15" OR 13"
- **WEIGHT:** 375 lbs.
- ADA Models Available

**FINISH**

Tables shall be finished with a powder paint coated frames and leg assemblies or nickel chrome plated leg assemblies (for Chrome add 'C' to model number).

**TABLE TOPS**

Choose one of the core materials and one of the edge protection choices.

**PARTICLE BOARD**

¾" thick, minimum 47# industrial grade particle board core as standard.

**Optional – PLYWOOD**

¾" thick, premium grade plywood core with multiple plies for strength and durability (for Plywood add 'P' to model number).

**Optional – MDF**

¾" thick, minimum 47# industrial grade medium density fiberboard core.

**DYNA-ROCK™ EDGE (DR)**

All cores listed above shall be permanently bonded with a high pressure plastic laminate and balanced with a high pressure plastic laminate backing sheet to prevent moisture penetration. Top edges shall be sealed and protected with a 100% solid polyurethane resin sprayed and permanently bonded to the edges of the plastic laminate, core and plastic backing sheet.

**FRAMES**

Table top shall be supported by heavy-duty 14 gauge, 3" wide formed channel hexagon shaped steel frame reinforced with metal gussets for extra strength and maximize table top support.



Deluxe Stool Top and Bottom with Two Colors



Rectangle Top and Bottom are Standard

Round Top and Bottom are Standard

**Patented Stool Design and Square Steel Tube Column**

Our internal design and square steel tube columns eliminate stool spinning and help prevent stool breakages as well as facilitate faster seat installations



**LEGS**

All table legs shall be constructed of heavy-duty 14 gauge, 1-¼" round and 1-¼" square steel tubing. All stool columns shall be constructed of heavy-duty 14 gauge X 1-¼" square steel tubing and shall be braced horizontally to the stool support column on the other side of the table.

**DELUXE STOOL - STANDARD**

All stools shall be constructed of two pieces top and bottom 14" dia. round or 14" rectangle for added seating comfort. Top and bottom shall be cone-square shaped injection molded ABS plastic material. Bottom piece shall be structurally load bearing and adds extra strength and load capacity. Stools shall be mounted to a 14 gauge X 1-¼" square steel tubing leg columns.

**CLEANING POSITION**

Intermediate locking position allows for easy cleaning by raising the center of the table slightly until the casters contact the floor and lock the table.

**OPERATIONAL ADVANTAGE**

- High-Speed Cylinder operating mechanism for very easy closing and storage operations.
- Each stool seating positions must have its own E-Z Free™ Multiple Entrances.
- A gravity lock, rod and detent locking mechanism shall lock the table firmly open and closed positions and shall be capable of operating the table from either side.
- Dyna-Rock™ Edges are available up to 20 different colors and can be mixed and matched to meet and compliment your interior decor.
- Casters are available up to 20 different colors and can be mixed and matched.

**E-Z AUTOLOCK™**

Each table shall be furnished with a user friendly E-Z Autolocking™ system capable of locking the table automatically in the storage position and shall be easier to open for use by hand from either side of the table.

**CASTERS**

Caster shall be 4" diameter by 1-¾" wide, heavy-duty solid poly, non marking wheels with a minimum rated load capacity of 275# each. All caster shall come standard with double raceway ball bearing.

**DYNAGRIP® GLIDES**

Custom DynaGrip® glides are extra wide, high impact, non-marking, load bearing glide with internal spring steel grip and steel washer for floor safety and wider support.

**MAS GREEN CERTIFICATION**

Mobile Stool Tables shall be tested and certified for indoor air quality, for public safety as well as environmental protection.

**UL**

Mobile Stool Tables shall be tested and listed by UL and must display UL labels with a valid listing marks.

**ADA**

ADA models are available.

**WARRANTIES**

Mobile Stool Tables shall be covered by a Lifetime – Limited Lifetime Warranty.



**CUSTOMIZE YOUR TABLE WITH DIFFERENT WHEEL COLOR OPTIONS**



**CUSTOMIZE YOUR TABLE TOP WITH CUSTOM LOGOS**

### STANDARD TABLE TOP LAMINATES



WILSONART STANDARD LAMINATES



FORMICA STANDARD LAMINATES



PIONITE STANDARD LAMINATES



NEVAMAR STANDARD LAMINATES



ARBORITE STANDARD LAMINATES



LAMINART STANDARD LAMINATES



EGGER STANDARD LAMINATES

### UPGRADE PREMIUM TABLE TOP LAMINATES



WILSONART PREMIUM LAMINATES



WILSONART Y VIRTUAL DESIGN LIBRARY PREMIUM LAMINATES



FORMICA PREMIUM LAMINATES



PIONITE PREMIUM LAMINATES



NEVAMAR PREMIUM LAMINATES



ARBORITE PREMIUM LAMINATES



LAMINART PREMIUM LAMINATES



EGGER PREMIUM LAMINATES

### STANDARD DYNA-ROCK™ TABLE TOP EDGES



AQUA TEAL



BEIGE



BLACK



BLUE



BROWN



BURGUNDY



GOLD



GRAY



GREEN



HUNTER GREEN



LIGHT BLUE



LIGHT GREEN



NAVY BLUE



ORANGE



PINK



PURPLE



RED



SILVER




WHITE



YELLOW

### STANDARD METAL FINISHES



### STANDARD STOOL TOP AND STOOL BOTTOM COLORS (MIX AND MATCH)



### STANDARD ROUND OR RECTANGLE DELUXE STOOL



ROUND



RECTANGLE



CHROME



PLYWOOD

### UPGRADE METAL FINISH / UPGRADE CORE

### UPGRADE ADA

1 ADA ACCESS SPOT  
2 ADA ACCESS SPOTS

### UPGRADE WHEEL COLORS (MIX AND MATCH)



### UPGRADE CUSTOM LOGO TABLE TOP



